



HM 9905

Processing

Main season peeler with very strong extended field holding



FEATURES

- HIGH YIELD WITH VERY FIRM FRUIT
- INTERMEDIATE VISCOSITY
- EXTENDED FIELD HOLDING
- LATE SEASON PEELER
- VERY STRONG (EFH) EXTENDED FIELD HOLDING

| Relative Maturity | Brix | L/U | Fruit Color | Mold | Viscosity |
|-------------------|------|------|-------------|------|--------------|
| 122 days | 4.92 | 0.8% | 24.5 | 1.0% | Intermediate |

The data above is representative of the 2014 season results in California.

| DISEASE RESISTANCE CHART (HR=High Resistance, IR=Intermediate Resistance) | | | |
|---------------------------------------------------------------------------|-------------------|------------------------------|---------------------------------------------------------------|
| HR/IR | Common name | Abbreviation | Pathogen / Causal Agent |
| HR | Verticillium wilt | Va:1 (EUR:0) Vd:1 (EUR:0) | <i>Verticillium albo-atrum</i> <i>Verticillium dahliae</i> |
| HR | Fusarium wilt | Fol:1,2 (EU Fol: 0,1) | <i>Fusarium oxysporum f. sp. lycopersici</i> |
| IR | Root-knot | Ma, Mi, Mj | <i>Meloidogyne arenaria, incognita, javanica</i> |

(*)The intermediate nematode resistance gene is currently the only one available in commercial varieties. This gene is effective against the following nematode species: *Meloidogyne arenaria*, *Meloidogyne incognita*, *Meloidogyne javanica*. The efficiency of this gene is reduced or canceled, by soil temperatures > 86 ° F (28 ° C) or other stress conditions.

HM.CLAUSE, Inc.
555 Codoni Ave, Modesto, CA 95357 USA | Tel: 209.579.7333 | Fax: 209.527.5312 | Web: www.hmclause.com

HM • CLAUSE

Data and disease ratings are an average of results from various test locations. It is not a prediction of future performance, but a summary of past results. Your performance will vary depending on the actual environment, pathogen strain and management conditions in your field. You must read and understand the HM.CLAUSE, Inc. Limitation of Warranty and Liability (found at www.hmclause.com) before using this product.
January 2015