

Excellence *In the Field*

ASTUTO F1



Cultivating *Collaboration*

HM • CLAUSE





● **ASTUTO F1**

TECHNICAL INFORMATION

- **Type** : Fresh market / Indeterminate Cherry Red
- **Cultivation Method** : Greenhouse / Open field
- **Plant** : Well balanced, clean plant, strong resistance to leaf disease
- **Fruit** : Excellent field holding ability & shelf life, premium fruit size (15-20g)
- Unique resistance package including F3,TYLCV, TSWV & Ss
- **Resistances** :
 HR: ToMV:0,1,2 / Va:1 / Vd:1 / Fol:1,2,3 / Ff (A,B,C,D,E)
 IR: TSWV:T0 / TYLCV / Ma / Mi / Mj / Ss

*Quality Fruit, Firm
with Improved Colour
& Gloss*



DISEASE RESISTANCE CHART (HR=HIGH RESISTANCE, IR=INTERMEDIATE RESISTANCE)			
Abrv.	Common Name	HR/IR	Pathogen/Causal Agent
Ff	Leaf mold	HR	Fulvia fulva (races A,B,C,D,E)
Fol: 1,2,3	Fusarium wilt	HR	Fusarium oxysporum f.sp. lycopersici
Ma, Mi, Mj	Root knot	IR	Meloidogyne arenaria, Meloidogyne incognita, Meloidogyne javanica
Ss	Grey leaf spot	IR	Stemphylium solani
ToMV	Tomato mosaic	HR	Tomato Mosaic Virus
TSWV	Spotted wilt	IR	Tomato Spotted Wilt Virus (race T0)
TYLCV	Tomato yellow leaf curl	IR	Tomato Yellow Leaf Curl Virus
Va:1 / Vd:1	Verticillium wilt	HR	Verticillium albo-atrum Va:1 (EUR 0), Verticillium dahliae Vd:1 (EUR 0)

GENERAL INFORMATION : The descriptions, illustrations, photographs, advices, suggestions and vegetation cycles that may be presented herein are aimed at experienced professionals and are derived from observations made in defined conditions on various trials. They are offered in all good faith, for purely informational purposes, and shall not therefore, under any circumstances, be held to be exhaustive, be taken as any form of guarantee of harvest or performance, prejudice specific factors or circumstances (either current or future), and more generally, form any kind of contractual undertaking whatsoever. The user must first and foremost ensure that his exploitation conditions, local geographical conditions, his planned growing period, his soil, the means at his disposal (such as technical knowledge and experience and cultural techniques and operations), his resources (such as tests and control methods) and his equipment, and more generally his agronomical, climatic, sanitary, environmental and economic context are suitable for the crops, techniques and varieties that are presented herein (see also our Terms and Conditions of Sale). All the varieties illustrated in this publication were photographed in favourable conditions and no guarantee can be provided that results will be identical under different conditions. All reproductions, whether in part or in whole, of this publication (of the medium and/or the contents), in any form whatsoever, are strictly forbidden, unless specific prior permission is granted.

IMPORTANT NOTICE: All intellectual property rights reserved. Illegal reproduction and/or exploitation is forbidden. Violation of these rights may constitute a serious offence that is prosecutable by Law. For further information see: www.hmclause.com

HM.CLAUSE PACIFIC- 177 Templestowe Rd - Lower Templestowe - VIC - 3107


Tel - 03 8850 5400

Email - pacificenquiries@hmclause.com

Cultivating *Collaboration*

www.hmclause.com

HM ● CLAUSE





HAZERA TOMATO

WE KNOW TOMATOES




Felicity F1

Great Tasting Cherry Tomato

- Well-balanced, vigorous plant with consistent setting
- High yield potential offering even, large sizing
- Great tasting with good shelf life
- Suitable for greenhouse & open field
- HR: ToMV: 0,1,2 / Va:1/ Vd:1 / Fol:1,2,3
- IR: TYLCV / Ma / Mi / Mj

Meet your local team



HM.CLAUSE PACIFIC

177 Templestowe Rd
Templestowe Lower
VIC 3107
Australia
(03) 8850 5400
pacificenquiries@hmclause.com
www.hmclause.com

Technical Sales Representative - WA / NT
Jed Mahmood, 0427 171 401
jed.mahmood@hmclause.com

Technical Sales Representative - SA / North VIC
Vinicius Saraiva, 0437 802 004
vinicius.saraiva@hmclause.com

Technical Sales Representative - VIC
Thomas Razin, 0408 553 813
thomas.razin@hmclause.com

Technical Sales Representative - TAS
David van Wijk, 0437 802 001
david.vanwijk@hmclause.com

Technical Sales Representative - North QLD
Pia Sandrock, 0437 802 003
pia.sandrock@hmclause.com

Technical Sales Representative - Central QLD
Craig McLain, 0439 384 045
craig.mclain@hmclause.com

Technical Sales Representative - South QLD
Nathan Lindenmayer, 0438 437 541
nathan.lindenmayer@hmclause.com

Technical Sales Representative - NSW / Sydney Basin
Bahram Fayaz, 0437 530 726
bahram.fayaz@hmclause.com

Hazera
Growing Together

A BRAND OF
Limagrain

Note: This information and any additional/other verbal or written information that may be given on behalf of Hazera represents average results from specific trials; they are neither exhaustive nor necessarily accurate and should not be construed as advice, guidance, recommendation, statement or warranty. Sowing times and growing areas are only indicative. Images are illustrative only. Sale & use of seeds is subject to terms and conditions collectively displayed on seed packages and catalogs and/or at: <http://www.hazera.com/terms-and-conditions>.
E&OE. © 2023 Hazera. All rights reserved.

* Resistant varieties may exhibit some disease symptoms or damage under heavy pest pressure and/or under adverse environmental conditions and/or in the face of new biotypes, pathotypes, races or strains of the pest that may emerge.

Soil temperature above 27°C and other stresses may cause nematode resistance to break.

**please refer to the ISF definitions at http://www.worldseed.org/wp-content/uploads/2017/05/Definition_on_reaction_plants_to_pests_2017_final.pdf
A copy of the definitions for terms describing reactions of plants to pests for the Vegetable Seed Industry, can be obtained at our offices upon demand.





HAZERA TOMATO

WE KNOW TOMATOES




Flamantyno F1

Yellow Cherry – Sweet & Juicy!

- Great eating yellow, glossy round cherry suited to truss & loose harvest
- Good firm fruit with attractive dark green parts with great colour retention
- Strong vigour suited to long cycle protected production
- HR: ToMV: 0,1,2 / Va:1/ Vd:1 / Fol:1/ For / Pf (A,B,C,D,E)
- IR: Mi, Mj / TYLCV

Meet your local team



HM.CLAUSE PACIFIC

177 Templestowe Rd
Templestowe Lower
VIC 3107
Australia
(03) 8850 5400
pacificenquiries@hmclause.com
www.hmclause.com

Technical Sales Representative - WA / NT
Jed Mahmood, 0427 171 401
jed.mahmood@hmclause.com

Technical Sales Representative - SA / North VIC
Vinicius Saraiva, 0437 802 004
vinicius.saraiva@hmclause.com

Technical Sales Representative - VIC
Thomas Razin, 0408 553 813
thomas.razin@hmclause.com

Technical Sales Representative - TAS
David van Wijk, 0437 802 001
david.vanwijk@hmclause.com

Technical Sales Representative - North QLD
Pia Sandrock, 0437 802 003
pia.sandrock@hmclause.com

Technical Sales Representative - Central QLD
Craig McLain, 0439 384 045
craig.mclain@hmclause.com

Technical Sales Representative - South QLD
Nathan Lindenmayer, 0438 437 541
nathan.lindenmayer@hmclause.com

Technical Sales Representative - NSW / Sydney Basin
Bahram Fayaz, 0437 530 726
bahram.fayaz@hmclause.com

Hazera
Growing Together

A BRAND OF
Limagrain

Note: This information and any additional/other verbal or written information that may be given on behalf of Hazera represents average results from specific trials; they are neither exhaustive nor necessarily accurate and should not be construed as advice, guidance, recommendation, statement or warranty. Sowing times and growing areas are only indicative. Images are illustrative only. Sale & use of seeds is subject to terms and conditions collectively displayed on seed packages and catalogs and/or at: <http://www.hazera.com/terms-and-conditions>.
E&OE. © 2023 Hazera. All rights reserved.

* Resistant varieties may exhibit some disease symptoms or damage under heavy pest pressure and/or under adverse environmental conditions and/or in the face of new biotypes, pathotypes, races or strains of the pest that may emerge.

Soil temperature above 27°C and other stresses may cause nematode resistance to break.

**please refer to the ISF definitions at http://www.worldseed.org/wp-content/uploads/2017/05/Definition_on_reaction_plants_to_pests_2017_final.pdf
A copy of the definitions for terms describing reactions of plants to pests for the Vegetable Seed Industry, can be obtained at our offices upon demand.



Excellence *In the Field*

GENIO F1



Cultivating *Collaboration*

HM • CLAUSE





● GENIO F1

*High Yields,
Exceptional Firmness
& Shelf Life*

TECHNICAL INFORMATION

- **Type** : Fresh market / Indeterminate Cherry Red
- **Cultivation Method** : Greenhouse / Open field
- **Plant** : Strong plant vigour with consistent setting
- **Fruit** : Uniform fruit (18-20g) with exceptional resistance to cracking or splitting
- Excellent field holding enabling harvest flexibility
- **Resistances** :
HR: ToMV:0,1,2 / Fol:1,2
IR: TYLCV / Ma, Mi, Mj



DISEASE RESISTANCE CHART (HR=HIGH RESISTANCE, IR=INTERMEDIATE RESISTANCE)

Abrv.	Common Name	HR/IR	Pathogen/Causal Agent
Fol: 1,2,3	Fusarium wilt	HR	Fusarium oxysporum f.sp. lycopersici
Ma, Mi, Mj	Root knot	IR	Meloidogyne arenaria, Meloidogyne incognita, Meloidogyne javanica
ToMV	Tomato mosaic	HR	Tomato Mosaic Virus
TYLCV	Tomato yellow leaf curl	IR	Tomato Yellow Leaf Curl Virus

GENERAL INFORMATION : The descriptions, illustrations, photographs, advices, suggestions and vegetation cycles that may be presented herein are aimed at experienced professionals and are derived from observations made in defined conditions on various trials. They are offered in all good faith, for purely informational purposes, and shall not therefore, under any circumstances, be held to be exhaustive, be taken as any form of guarantee of harvest or performance, prejudice specific factors or circumstances (either current or future), and more generally, form any kind of contractual undertaking whatsoever. The user must first and foremost ensure that his exploitation conditions, local geographical conditions, his planned growing period, his soil, the means at his disposal (such as technical knowledge and experience and cultural techniques and operations), his resources (such as tests and control methods) and his equipment, and more generally his agronomical, climatic, sanitary, environmental and economic context are suitable for the crops, techniques and varieties that are presented herein (see also our Terms and Conditions of Sale). All the varieties illustrated in this publication were photographed in favourable conditions and no guarantee can be provided that results will be identical under different conditions. All reproductions, whether in part or in whole, of this publication (of the medium and/or the contents), in any form whatsoever, are strictly forbidden, unless specific prior permission is granted.

IMPORTANT NOTICE: All intellectual property rights reserved. Illegal reproduction and/or exploitation is forbidden. Violation of these rights may constitute a serious offence that is prosecutable by Law. For further information see: www.hmclause.com

HM.CLAUSE PACIFIC- 177 Templestowe Rd - Lower Templestowe - VIC - 3107

Tel - 03 8850 5400

Email - pacificenquiries@hmclause.com

Cultivating Collaboration

www.hmclause.com

HM ● CLAUSE





HAZERA TOMATO

WE KNOW TOMATOES




Martyni F1

Very Productive Cherry for Cluster Harvest suitable to Greenhouse & Open Field Production

- Round cherry with a deep red colour
- Extremely uniform colour with very good resistance to bacterial leaf disease
- Very long shelf life
- Excellent firmness
- HR: Fol:1 / Va:1 / Vd:1 / ToMV:0,1,2
- IR: TYLCV / Ma / Mi / Mj / Ss

Meet your local team



HM.CLAUSE PACIFIC

177 Templestowe Rd
Templestowe Lower
VIC 3107
Australia
(03) 8850 5400
pacificenquiries@hmclause.com
www.hmclause.com

Technical Sales Representative - WA / NT
Jed Mahmood, 0427 171 401
jed.mahmood@hmclause.com

Technical Sales Representative - North QLD
Pia Sandrock, 0437 802 003
pia.sandrock@hmclause.com

Technical Sales Representative - SA / North VIC
Vinicius Saraiva, 0437 802 004
vinicius.saraiva@hmclause.com

Technical Sales Representative - Central QLD
Craig McLain, 0439 384 045
craig.mclain@hmclause.com

Technical Sales Representative - VIC
Thomas Razin, 0408 553 813
thomas.razin@hmclause.com

Technical Sales Representative - South QLD
Nathan Lindenmayer, 0438 437 541
nathan.lindenmayer@hmclause.com

Technical Sales Representative - TAS
David van Wijk, 0437 802 001
david.vanwijk@hmclause.com

Technical Sales Representative - NSW / Sydney Basin
Bahram Fayaz, 0437 530 726
bahram.fayaz@hmclause.com

Hazera
Growing Together

A BRAND OF
Limagrain

Note: This information and any additional/other verbal or written information that may be given on behalf of Hazera represents average results from specific trials; they are neither exhaustive nor necessarily accurate and should not be construed as advice, guidance, recommendation, statement or warranty. Sowing times and growing areas are only indicative. Images are illustrative only. Sale & use of seeds is subject to terms and conditions collectively displayed on seed packages and catalogs and/or at: <http://www.hazera.com/terms-and-conditions>.
E&OE. © 2023 Hazera. All rights reserved.

* Resistant varieties may exhibit some disease symptoms or damage under heavy pest pressure and/or under adverse environmental conditions and/or in the face of new biotypes, pathotypes, races or strains of the pest that may emerge.

Soil temperature above 27°C and other stresses may cause nematode resistance to break.

**please refer to the ISF definitions at http://www.worldseed.org/wp-content/uploads/2017/05/Definition_on_reaction_plants_to_pests_2017_final.pdf
A copy of the definitions for terms describing reactions of plants to pests for the Vegetable Seed Industry, can be obtained at our offices upon demand.





HAZERA TOMATO

WE KNOW TOMATOES




Tymoty F1

**Red Cherry - High Quality,
Sweet Taste, Extra Self Life**

- Strong, healthy plant with improved leaf disease tolerance
- Firm, deep round shape with excellent taste & shelf life
- Ideal fruit size, averaging 15-25g / fruit
- Very adaptable, well suited to both open field & greenhouse production
- Excellent disease package
- HR: Fol:1,2,3 / ToMV:0,1,2 / Pst / Vd
- IR: Mi / Mj / TYLCV

Meet your local team



HM.CLAUSE PACIFIC

177 Templestowe Rd
Templestowe Lower
VIC 3107
Australia
(03) 8850 5400
pacificenquiries@hmclause.com
www.hmclause.com

Technical Sales Representative - WA / NT
Jed Mahmood, 0427 171 401
jed.mahmood@hmclause.com

Technical Sales Representative - SA / North VIC
Vinicius Saraiva, 0437 802 004
vinicius.saraiva@hmclause.com

Technical Sales Representative - VIC
Thomas Razin, 0408 553 813
thomas.razin@hmclause.com

Technical Sales Representative - TAS
David van Wijk, 0437 802 001
david.vanwijk@hmclause.com

Technical Sales Representative - North QLD
Pia Sandrock, 0437 802 003
pia.sandrock@hmclause.com

Technical Sales Representative - Central QLD
Craig McLain, 0439 384 045
craig.mclain@hmclause.com

Technical Sales Representative - South QLD
Nathan Lindenmayer, 0438 437 541
nathan.lindenmayer@hmclause.com

Technical Sales Representative - NSW / Sydney Basin
Bahram Fayaz, 0437 530 726
bahram.fayaz@hmclause.com

Hazera
Growing Together

A BRAND OF
Limagrain

Note: This information and any additional/other verbal or written information that may be given on behalf of Hazera represents average results from specific trials; they are neither exhaustive nor necessarily accurate and should not be construed as advice, guidance, recommendation, statement or warranty. Sowing times and growing areas are only indicative. Images are illustrative only. Sale & use of seeds is subject to terms and conditions collectively displayed on seed packages and catalogs and/or at: <http://www.hazera.com/terms-and-conditions>.
E&OE. © 2023 Hazera. All rights reserved.

* Resistant varieties may exhibit some disease symptoms or damage under heavy pest pressure and/or under adverse environmental conditions and/or in the face of new biotypes, pathotypes, races or strains of the pest that may emerge.

Soil temperature above 27°C and other stresses may cause nematode resistance to break.

**please refer to the ISF definitions at http://www.worldseed.org/wp-content/uploads/2017/05/Definition_on_reaction_plants_to_pests_2017_final.pdf
A copy of the definitions for terms describing reactions of plants to pests for the Vegetable Seed Industry, can be obtained at our offices upon demand.

